Proposed Directory Implementation for the Federal Public Key Infrastructure

Briefing for the Federal Public Key Infrastructure
Technical Working Group

Dave Fillingham, X32
dwfilli@missi.ncsc.mil

3 December 1998

Overview

- Problem overview

- Architecture design considerations

- Proposed directory architecture

- Features of the proposal

- Request for frank appraisal

The Bridge Certification Authority (BCA)

Non-Federal

Federal

|	
○ bridge CA	⟷ bridge cross certificate pair
● principal CA	→ CA certificate
● peer CA	↔ cross certificate pair
○ subordinate CA	

BCA and Directories

- BCA provides trust paths to diverse infrastructures

- BCA concept mostly silent about providing directory/repository services

- Existence of trust paths not enough - applications must be able to retrieve the necessary certificates and (if used) revocation lists

Directory Architecture Considerations

- Design to be specifically oriented toward making the BCA concept work
- Minimize "Federal Requirements"
- Allow for restricting "outside" access to "internal" directories
- Do not impact the clients
- Allow for a "bottom up" implementation

Today's Stovepipe Public Key Infrastructures

CA Infrastructure 1

Directory Infrastructure 1

Directory Infrastructure 2

CA Infrastructure 2

CA 1

Certs, CRLs

DSA 1

Chaining, LDAP Referrals, or Proprietary

User directory access via DAP, LDAP, or proprietary protocols

CA 1 Subscribers

CA 2

Certs, CRLs

DSA 2

Chaining, LDAP Referrals, or Proprietary

User directory access via DAP, LDAP, or proprietary protocols

CA 2 Subscribers

Acronyms
PCA Principal Certification Authority
CA   Certification Authority
DSA Directory System Agent

The BCA Creates Certificate Chains

PCA 1 ←→ **BCA** ←→ **PCA 2**

CA Infrastructure 1

Directory Infrastructure 1

Directory Infrastructure 2

CA Infrastructure 2

CA 1

BCA DSA

CA 2

Certs, CRLs

Certs, CRLs

DSA 1

Chaining, LDAP Referrals, or Proprietary

Chaining, LDAP Referrals, or Proprietary

DSA 2

User directory access via DAP, LDAP, or proprietary protocols

User directory access via DAP, LDAP, or proprietary protocols

CA 1 Subscribers

CA 2 Subscribers

Acronyms
BCA Bridge Certification Authority
PCA Principal Certification Authority
CA   Certification Authority
DSA Directory System Agent

Chained Border Directories Link the Infrastructures

PCA 1 ⟷ BCA ⟷ PCA 2

CA Infrastructure 1

Directory Infrastructure 1

Directory Infrastructure 2

CA Infrastructure 2

CA 1

BCA DSA

CA 2

Optional Replication

Optional Replication

Certs, CRLs

Certs, CRLs

DSA 1

Chaining, LDAP Referrals, or Proprietary

Chaining, LDAP Referrals, or Proprietary

DSA 2

User directory access via DAP, LDAP, or proprietary protocols

Replication

Border DSA 1

DSP Chaining IAW X.500

Border DSA 2

Replication

User directory access via DAP, LDAP, or proprietary protocols

CA 1 Subscribers

CA 2 Subscribers

Acronyms
BCA Bridge Certification Authority
PCA Principal Certification Authority
CA   Certification Authority
DSA Directory System Agent

Features of the Proposed Approach

- Does not require changes to legacy applications
- Does not impose requirements on client access protocols
- Does not impact CA to Directory/Repository protocols or interactions
- "Border Directory System Agent" concept allow various agencies to implement local policies regarding who accesses which directory entries

Suggested Course of Action

- Federal Public Key Infrastructure Technical Working Group to more thoroughly analyze concept

- Define component functional requirements

- Define required standards
  - Keep the standards simple and minimal!
  - Maximize use of already defined and commercially vetted standards, like the Lightweight Directory Access Protocol (LDAP) Version 2 schema

- Implement a directory demonstration in conjunction with the Bridge Certification Authority demonstration